### RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: 1700,500
Source: 1FNO 12-7-01

# ENTERED



**IFWO** 

RAW SEQUENCE LISTING DATE: 12/07/2004 PATENT APPLICATION: US/10/766,560 TIME: 16:13:17 Input Set : A:\PTO.FG.txt Output Set: N:\CRF4\12072004\J766560.raw 3 <110> APPLICANT: Pizza, Mariagrazia

Bartoloni, Antonella 6 <120> TITLE OF INVENTION: IMMUNOLOGICALLY ACTIVE POLYPEPTIDES WITH ALTERED TOXICITY USEFUL FOR THE PREPARATION OF AN ANTIPERTUSSIS VACCINE W--> 8 <130> FILE REFERENCE: 002441.00076 C--> 10 <140> CURRENT APPLICATION NUMBER: US/10/766,560 C--> 10 <141> CURRENT FILING DATE: 2004-01-29 10 <150> PRIOR APPLICATION NUMBER: US 08/261,668

11 <151> PRIOR FILING DATE: 1994-06-17 13 <150> PRIOR APPLICATION NUMBER: US 08/012,243 14 <151> PRIOR FILING DATE: 1993-02-01

16 <150> PRIOR APPLICATION NUMBER: US 07/265,742 17 <151> PRIOR FILING DATE: 1988-11-01

19 <150> PRIOR APPLICATION NUMBER: ITALY 22481 A/87

20 <151> PRIOR FILING DATE: 1987-11-02 22 <160> NUMBER OF SEQ ID NOS: 30

24 <170> SOFTWARE: PatentIn version 3.1

26 <210> SEQ ID NO: 1 27 <211> LENGTH: 18

28 <212> TYPE: DNA

29 <213> ORGANISM: Artificial

31 <220> FEATURE:

32 <223> OTHER INFORMATION: Primer used to modify the S1 gene to encode an aspartic acid and

33 glycine in place of tyrosine and arginine at amino acid residues 34 8 and 9, respectively

36 <400> SEQUENCE: 1 37 gtcatagccg tctacggt

40 <210> SEQ ID NO: 2

41 <211> LENGTH: 31

42 <212> TYPE: DNA

43 <213> ORGANISM: Bordetella pertussis

45 <400> SEQUENCE: 2

46 cgccaccgta taccgctatg actcccgccc g 31

49 <210> SEQ ID NO: 3 50 <211> LENGTH: 31 51 <212> TYPE: DNA

52 <213> ORGANISM: Bordetella pertussis

54 <400> SEQUENCE: 3

55 cgccaccgta gacggctatg actcccgccc q 31

58 <210> SEQ ID NO: 4 59 <211> LENGTH: 18 60 <212> TYPE: DNA

18

61 <213> ORGANISM: Artificial

#### RAW SEQUENCE LISTING

DATE: 12/07/2004 TIME: 16:13:17

PATENT APPLICATION: US/10/766,560

Input Set : A:\PTO.FG.txt
Output Set: N:\CRF4\12072004\J766560.raw

```
63 <220> FEATURE:
      64 <223> OTHER INFORMATION: Primer used to modify the S1 gene to encode a glutamic acid
 and i
      65
               soleucine in place of a phenylalanine and threonine at amino acid
      66
               residues 50 and 53, respectively
      68 <400> SEQUENCE: 4
      69 tggagacgtc agcgctgt
                                                                                 18
      72 <210> SEQ ID NO: 5
     73 <211> LENGTH: 21
     74 <212> TYPE: DNA
     75 <213> ORGANISM: Bordetella pertussis
     77 <400> SEQUENCE: 5
     78 agcgctttcg tctccaccag c
                                                                                 21
     81 <210> SEQ ID NO: 6
     82 <211> LENGTH: 21
     83 <212> TYPE: DNA
     84 <213> ORGANISM: Bordetella pertussis
     86 <400> SEQUENCE: 6
     87 agcgctgacg tctccatcag c
                                                                                21
     90 <210> SEQ ID NO: 7
     91 <211> LENGTH: 18
     92 <212> TYPE: DNA
     93 <213> ORGANISM: Artificial
     95 <220> FEATURE:
     96 <223> OTHER INFORMATION: Primer used to modify the S1 gene to encode a glutamic acid
in pl
     97
              ace of glycine at amino acid residue 99
     99 <400> SEQUENCE: 7
     100 ctggcggctt cgtagaaa
                                                                                 18
     103 <210> SEQ ID NO: 8
     104 <211> LENGTH: 11
     105 <212> TYPE: DNA
     106 <213> ORGANISM: Bordetella pertussis
     108 <400> SEQUENCE: 8
     109 tacggcgccg c
                                                                                 11
     112 <210> SEQ ID NO: 9
     113 <211> LENGTH: 11
     114 <212> TYPE: DNA
     115 <213> ORGANISM: Bordetella pertussis
     117 <400> SEQUENCE: 9
     118 tacgaagccg c
                                                                                 11
     121 <210> SEQ ID NO: 10
     122 <211> LENGTH: 21
     123 <212> TYPE: DNA
     124 <213> ORGANISM: Artificial
     126 <220> FEATURE:
     127 <223> OTHER INFORMATION: Primer used to modify the S1 gene to encode a glycine in
place of
     128
               aspartic acid at amino acid residue 109
     130 <400> SEQUENCE: 10
     131 ctggtaggtg tccagcgcgc c
                                                                                 21
     134 <210> SEQ ID NO: 11
```

## RAW SEQUENCE LISTING DATE: 12/07/2004 PATENT APPLICATION: US/10/766,560 TIME: 16:13:17

Input Set : A:\PTO.FG.txt

Output Set: N:\CRF4\12072004\J766560.raw

```
135 <211> LENGTH: 11
     136 <212> TYPE: DNA
     137 <213> ORGANISM: Bordetella pertussis
     139 <400> SEQUENCE: 11
     140 gtcgacactt a
                                                                                  11
     143 <210> SEQ ID NO: 12
     144 <211> LENGTH: 11
     145 <212> TYPE: DNA
     146 <213> ORGANISM: Bordetella pertussis
     148 <400> SEQUENCE: 12
     149 gtcggcactt a
                                                                                  11
     152 <210> SEQ ID NO: 13
     153 <211> LENGTH: 18
     154 <212> TYPE: DNA
     155 <213> ORGANISM: Artificial
     157 <220> FEATURE:
     158 <223> OTHER INFORMATION: Primer used to modify the S1 gene to encode a glutamic acid
in pl
     159
               ace of glycine at amino acid residue 121
     161 <400> SEQUENCE: 13
     162 gccagcgctt cggcgagg
                                                                                 18
     165 <210> SEQ ID NO: 14
     166 <211> LENGTH: 11
     167 <212> TYPE: DNA
     168 <213> ORGANISM: Bordetella pertussis
     170 <400> SEQUENCE: 14
     171 geeggegege t
                                                                                 11
     174 <210> SEQ ID NO: 15
     175 <211> LENGTH: 11
     176 <212> TYPE: DNA
     177 <213> ORGANISM: Bordetella pertussis
     179 <400> SEQUENCE: 15
     180 gccgaagcgc t
                                                                                 11
     183 <210> SEQ ID NO: 16
     184 <211> LENGTH: 21
     185 <212> TYPE: DNA
     186 <213> ORGANISM: Artificial
     188 <220> FEATURE:
     189 <223> OTHER INFORMATION: Primer used to modify the S1 gene to encode an aspartic acid
in p
     190
               lace of alanine at amino acid residue 124
     192 <400> SEQUENCE: 16
     193 gccataagtg ccgacgtatt c
                                                                                 21
     196 <210> SEQ ID NO: 17
     197 <211> LENGTH: 11
     198 <212> TYPE: DNA
     199 <213> ORGANISM: Bordetella pertussis
    201 <400> SEQUENCE: 17
    202 tggccaccta c
                                                                                 11
    205 <210> SEQ ID NO: 18
    206 <211> LENGTH: 11
```

DATE: 12/07/2004

TIME: 16:13:17

#### Input Set : A:\PTO.FG.txt Output Set: N:\CRF4\12072004\J766560.raw 207 <212> TYPE: DNA 208 <213> ORGANISM: Bordetella pertussis 210 <400> SEQUENCE: 18 211 tggacaccta c 11 214 <210> SEQ ID NO: 19 215 <211> LENGTH: 17 216 <212> TYPE: DNA 217 <213> ORGANISM: Artificial 219 <220> FEATURE: 220 <223> OTHER INFORMATION: Primer used to modify the S1 gene to encode a glycine in place of 221 glutamic acid at amino acid residue 129 223 <400> SEQUENCE: 19 224 gccagatacc cgctcgg 17 227 <210> SEQ ID NO: 20 228 <211> LENGTH: 11 229 <212> TYPE: DNA 230 <213> ORGANISM: Bordetella pertussis 232 <400> SEQUENCE: 20 233 agcgaatatc t 11 236 <210> SEQ ID NO: 21 237 <211> LENGTH: 11 238 <212> TYPE: DNA 239 <213> ORGANISM: Bordetella pertussis 241 <400> SEQUENCE: 21 242 agcgggtatc t 11 245 <210> SEQ ID NO: 22 246 <211> LENGTH: 18 247 <212> TYPE: DNA 248 <213> ORGANISM: Artificial 250 <220> FEATURE: 251 <223> OTHER INFORMATION: Primer used to modify the S1 gene to encode a glutamic acid in pl ace of arginine at amino acid residue 135 254 <400> SEQUENCE: 22 255 gcggaatgtc ccggtgtg 18 258 <210> SEQ ID NO: 23 259 <211> LENGTH: 11 260 <212> TYPE: DNA 261 <213> ORGANISM: Bordetella pertussis 263 <400> SEQUENCE: 23 264 gcgcattccg c 11 267 <210> SEQ ID NO: 24 268 <211> LENGTH: 11 269 <212> TYPE: DNA 270 <213> ORGANISM: Bordetella pertussis 272 <400> SEQUENCE: 24 273 ggacattccg c 11 276 <210> SEQ ID NO: 25 277 <211> LENGTH: 18 278 <212> TYPE: DNA

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/766,560

RAW SEQUENCE LISTING DATE: 12/07/2004 PATENT APPLICATION: US/10/766,560 TIME: 16:13:17

Input Set : A:\PTO.FG.txt

Output Set: N:\CRF4\12072004\J766560.raw

```
279 <213> ORGANISM: Artificial
     281 <220> FEATURE:
     282 <223> OTHER INFORMATION: Primer used to modify the S1 gene to encode a lysine in
place of
     283
               threonine at amino acid residue 159
     285 <400> SEQUENCE: 25
     286 tactccgttt tcgtggtc
                                                                                 18
     289 <210> SEQ ID NO: 26
     290 <211> LENGTH: 31
     291 <212> TYPE: DNA
     292 <213> ORGANISM: Bordetella pertussis
     294 <400> SEQUENCE: 26
     295 gcatcaccgg cgagaccacg accacggagt a
                                                                                 31
     298 <210> SEQ ID NO: 27
     299 <211> LENGTH: 31
     300 <212> TYPE: DNA
     301 <213> ORGANISM: Bordetella pertussis
     303 <400> SEQUENCE: 27
     304 gcatcaccgg cgagaccacg aaaacggagt a
                                                                                 31
     307 <210> SEQ ID NO: 28
     308 <211> LENGTH: 24
     309 <212> TYPE: DNA
     310 <213> ORGANISM: Artificial
     312 <220> FEATURE:
     313 <223> OTHER INFORMATION: Primer used to modify the S1 gene to encode additional amino
acid
               residues Asp Thr Gly Gly at position 113
     316 <400> SEQUENCE: 28
     317 cgccaccagt gtcgacgtat tcga
                                                                                 24
     320 <210> SEO ID NO: 29
     321 <211> LENGTH: 21
     322 <212> TYPE: DNA
     323 <213> ORGANISM: Bordetella pertussis
     325 <400> SEQUENCE: 29
     326 gtcgacactt atggcgacaa t
                                                                                 21
     329 <210> SEQ ID NO: 30
     330 <211> LENGTH: 33
     331 <212> TYPE: DNA
     332 <213> ORGANISM: Bordetella pertussis
     334 <400> SEQUENCE: 30
     335 gtcgacactg gtggcgacac tggtggcgac aat
                                                                                33
```

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/10/766,560

DATE: 12/07/2004 TIME: 16:13:18

Input Set : A:\PTO.FG.txt
Output Set: N:\CRF4\12072004\J766560.raw

Invalid Line Length

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:1; Line(s) 6

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete, per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:1,4,7,10,13,16,19,22,25,28

VERIFICATION SUMMARY

DATE: 12/07/2004 TIME: 16:13:18

PATENT APPLICATION: US/10/766,560

Input Set : A:\PTO.FG.txt

Output Set: N:\CRF4\12072004\J766560.raw

L:8 M:283 W: Missing Blank Line separator, <130> field identifier

L:10 M:270 C: Current Application Number differs, Replaced Current Application No

L:10 M:271 C: Current Filing Date differs, Replaced Current Filing Date